

Otros equipos marinos

Caja de velocidades de uso marino 600-4000RPM



Modelo	Ratio	Potencia (HP/rpm)	Velocidad del motor(rpm)	Dimensiones L*W*H(mm)	Peso neto (kgs)
06	2.52 3.05 3.5	0.0044	1000 ~ 2100	350*316*482	58
16A	2.07 2.48 2.95 3.35 3.383	0.012	1000 ~ 2000	422*325*563	84
MD020	1.56 1.88 2.63	0.009 ~ 0.012	4000	281*230*221	15
MA100	1.6 2.0 2.55 3.11 3.59 3.88	0.006 ~ 0.009	1500 ~ 3000	236*390*420	75
MA125	2.03 2.46 3.04 3.57 4.05 4.39 4.7	0.011 ~ 0.02	1500 ~ 3000	291*454*485	115
MA142	1.97 2.52 3.03 3.54 3.95 4.5 5.06 5.47	0.013 ~ 0.03	1500 ~ 2500	308*520*	140
40A	2.07 2.96 3.44	0.025 ~ 0.03	750 ~ 2000	414*610*620	225

MB170	1.97 2.52 3.03 3.54 3.96 4.50 5.06 5.47 5.88	0.027—0.039	1000 ~ 2500	485*610*656	240
HCU65	2.045 2.50 3.068 3.427	0.045	1000 ~ 2200	504*600*808	260
HC65	1.53 2.03 2.50 2.96	0.044 ~ 0.048	1000 ~ 2500	311*460*544	130
120B	2.03 2.81 3.73	0.044 ~ 0.088	750 ~ 1800	605*744*770	400
120C	1.48 1.94 2.45 2.96 3.35	0.08 ~ 0.1	1000 ~ 2500	352*694*650	225
MV100	1.23 1.62 2.07 2.52 2.87	0.08 ~ 0.1	1500 ~ 3000	390*630*580	220
HCV120	1.509 2.016 2.524	0.076 ~ 0.01	1500 ~ 2500	502*600*847	300
135	2.03 2.59 3.04 3.62 4.11 4.65 5.06 5.47 5.81	0.070 ~ 0.10	1000 ~ 2000	578*744*830	470
MB242	3.04 3.52 3.95 4.53 5.12 5.56 5.88	0.074 ~ 0.013	1000 ~ 2500	442*744*763	385
HC138	2.52 3.0 3.57 4.05 4.45	0.11	1000 ~ 2500	520*792*760	360
HC200	1.48 2.0 2.28	0.147	1000 ~ 2200	430*744*708	280
MB270A	4.05 4.53 5.12 5.50 5.95 6.39 6.82	0.088 ~ 0.147	1000 ~ 2500	594*810*868	675
HCV230	1.485 1.956 2.483	0.146 ~ 0.184	1000 ~ 2200	568*620*1020	450
HCQ300	1.06 1.46 2.05 2.38	0.235 ~ 0.250	1000 ~ 2300	533*681*676	360
300	2.04 2.54 3.0 3.53 4.1 4.61 4.94 5.44	0.125 ~ 0.257	1000 ~ 2300	638*870*864	740
D300	4.0 4.48 5.05 5.52 5.90 6.56 7.06 7.63	0.125 ~ 0.257	1000 ~ 2300	638*920*1040	880
T300	6.03 6.65 7.04 7.54 8.02	0.221 ~ 0.243	1000 ~ 2300	640*920*1110	1120
HCV400	1.388 2.0	0.274 ~ 0.30	1000 ~ 1800	780*740*1192	650
HC400	2.04 2.50 3.0 3.42 4.06	0.279 ~ 0.331	1000 ~ 1800	641*890*890	820
HCD400A	3.96 4.33 4.43 4.70 5.0 5.53 5.89	0.272 ~ 0.331	1000 ~ 1800	641*950*988	1100
HCT400A	6.096 6.49 6.93 7.42 7.95 8.40 9.0 9.47	0.243 ~ 0.331	1000 ~ 2100	784*992*1130	1450
HCT400A ~ 1	8.15 8.69 9.27 9.94 10.60 11.46 12	0.262 ~ 0.331	1000 ~ 2100	869*1100*1275	1500
HC600A	2.0 2.48 3.0 3.58 3.89	0.40 ~ 0.48	1000 ~ 2100	745*1094*1126	1300

HCD600A	4.18 4.43 4.70 5.0 5.44 5.71	0.40 ~ 0.48	1000 ~ 2100	745*1094*1271	1550
HCT600A	6.06 6.49 6.97 7.51 8.04 8.66 9.35	0.28 ~ 0.44	1000 ~ 2100	805*1094*1271	1600
HCT600A ~ 1	8.23 8.82 9.47 10.8 11.65 12.57	0.331 ~ 0.441	1000 ~ 2100	878*1224*1346	1700
750B	1.49 1.97 2.48 2.92	0.55	600 ~ 1200	1117*850*1170	1600
CHT800	5.57 5.68 5.93 6.43 6.86 7.33 7.84	0.515 ~ 0.625	800 ~ 1800	1056*1280*1425	2000
900	1.46 2.04 2.47 3.0 3.60 4.08 4.63 4.95	0.40 ~ 0.66	600 ~ 1600	1115*850*1310	1600